

Cuff Techniques for Orthotopic Renal Grafting in the Rat


J. Rodriguez, L. Lorente¹, J.I. Trobo¹, M.A. Aller¹, J. Arias¹,
J.L. Balibrea¹, H. Durán¹

Department of Surgical Pathology and Surgery. Veterinary School. University of Zaragoza. Zaragoza, Spain. ¹Department of Surgery I (Prof. J.L. Balibrea). San Carlos University Hospital. Universidad Complutense. Madrid, Spain.

Address: J. Arias. Departamento de Cirugía, Hospital Universitario San Carlos. c/Martín Lagos, s/n. 28040-Madrid, Spain.

ORT	Receptor surv. (days)	Cause of death
3	2	Venous thrombosis
7,5,15	3	Ureteral dehiscence
12	5	Unknown
2,10	30	Pseudoaneurysm
1,8	240	Sacrificed
6,9,11,19	300	Sacrificed
4,13,14,16	450	Sacrificed
17,18,20		

Table 1. Orthotopic renal transplantation (ORT) using cuff techniques for vascular anastomosis.






Fig. 1. Orthotopic renal transplantation in the rat. Receptor operation. A: arterial anastomosis using the cuff technique. V: venous anastomosis using the cuff technique. U: ureteral anastomosis employing interrupted stitches of 10/0 nylon monofilament suture.